

SURETEMP® CONTAINER BLANKET - ELITE 150

STP-ELITEBLANKET

FIBRE 150 GSM - 25 FEET CONTAINER BLANKET

SUSTAINABLE. REUSABLE.

SureTemp® Elite-Performance Container Blanket offers the highest level of protection during products' exposure to extreme temperatures. Designed for FTL/FCL top load protection against both cold and heat in your cold chain.

An effective radiant barrier is attained through the outer layer of metalized film, which protects extremely well against visible light radiation, as well as moderate thermal protection from infrared radiation.

Inside is our hollow-fiber insulation – the SureTemp® brand's highest level of insulating material – between woven polyethylene layers. Woven polyethylene's high tensile strength and tear-resistance give the product additional physical protective capabilities and contribute to its durability and reusability.



Solar Reflectance	84%	(ASTM E1980)
Emittance	.55	(ASTM C 1371)
Thermal Resistance	R 2.5	(ASTM C 518)


KEY FEATURES

- Cost Savings Alternative vs. Refrigeration
- Protects Against Excessive Ambient Heat & Cold
- Reusable / Durable
- Reduces Carbon Footprint
- Quick & Easy On/Off Installation
- Enhanced Shipment Security

BEST PRACTICES

- Store blankets at a suitable temperature to retain thermal efficiency
- Store blankets in a dry location to avoid contamination
- Fit covers in a suitable ambient temperature. Fitting covers in extreme temperatures can result in accelerated temperature change of product.

MATERIAL BREAKDOWN




SURETEMP® CONTAINER BLANKET - ELITE 150


STP-ELITEBLANKET

FOLDING - INSTRUCTIONS


CONTAINER BLANKET




1) Pull the blanket out of the container, fold panels accordion style on top of each other.




2) Continue folding panels accordion style on top of each other.




3) Press down on panels to get rid of trapped air.



4) Pull green cover over the folded panels.



5) Pull green covers together to bind the Velcro.



6) Seal Velcro and your done.

SURETEMP® CONTAINER BLANKET - ELITE 150

STP-ELITEBLANKET

THERMAL - PERFORMANCE REPORT

HEAT PROFILE

Test Type: Extreme Heat


Duration: 8/16/16 to 8/30/16 (14 Days)

Protection: SureTemp® Elite Container Blanket

Load Type: Wine

Route Location: Lodi, CA -> Lakeland, FL

Mode of Transportation: Over The Road



COLD PROFILE

Test Type: Live Load Extreme Cold

Duration: 3/6/14 to 3/25/14 (19 Days)

Protection: Suretemp® Elite Container Blanket

Load Type: Beer

Route Location: St Louis MO. -> Portland OR.

Mode of Transportation: Intermodal

